

# ÖLFLEX® HEAT 1565 MC

Suitable for use in ambient temperatures between -195°C to +400°C

And the second second

ÖLFLEX® HEAT 1565 MC - Glass fibre insulated power cable for use in blast furnaces, glassworks, motor construction etc. at ambient temperatures up to +400 °C (short term +1565 °C)

Info

Short-term: up to +1565 °C For use in dry conditions





Halogen-free



Heat-resistant



Cold-resistant



Temperature-resistant

### Benefits

Low conductor-resistance due to the nickel-plated copper conductors Able to withstand temporary contact with molten metal or glass

#### **Application range**

Guarantees the circuit even in areas with extremely high ambient temperatures Blast furnaces and coking plants Refineries Glassworks Aluminium and steelworks

Last Update (23.04.2024) ©2024 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02\_03.16



## ÖLFLEX® HEAT 1565 MC

#### **Product features**

Flame-retardant Halogen-free Only suitable for use in dry conditions

#### **Product Make-up**

Fine-wire strand made of nickel-plated copper MICA tape wrapping and impregnated glass fibre braiding Cores twisted together Outer sheath: MICA tape-wrapping, impregnated glass fibre braiding, red

#### **Technical Data**

Classification ETIM 5:	ETIM 5.0 Class-ID: EC001578 ETIM 5.0 Class-Description: Flexible cable
Classification ETIM 6:	ETIM 6.0 Class-ID: EC001578 ETIM 6.0 Class-Description: Flexible cable
Core identification code:	2-core cable: blue, brown 4-core cable: black, blue, yellow, red
Conductor stranding:	Fine copper wire strands
Minimum bending radius:	Fixed installation: 5 x cable diameter
Nominal voltage:	U0/U: 300/500 V
Test voltage:	2200 V
Temperature range:	-195°C to +400°C Short-term: up to +1565 °C

### Note

Unless specified otherwise, the shown product values are nominal values. Detailed values (e.g. tolerances) are available upon request.

Copper price basis: EUR 150/100 kg. Refer to catalogue appendix T17 for the definition and calculation of copper-related surcharges.

Please find our standard lengths at: www.lappkabel.de/en/cable-standardlengths

Packaging size: Coil  $\leq$  30 kg, otherwise drum

Please specify the preferred type of packaging (e.g. 1 x 500 m drum or 5 x 100 m coils).

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

st Update (23.04.2024) 2024 Lapp Group - Technical change:		Number of cores and mm <sup>2</sup> per conductor	Outer diameter [mm]	Copper index (kg/km)	Weight (kg/km)	
	ÖLFLEX® HEAT 1565 MC					
	30020808	2 x 0.5	7	9.6	48	
	30020809	2 x 0.75	7.4	14.4	66	
	30016609	2 x 1.0	7.7	19.2	74	
	30016606	4 x 1.0	8.9	38.4	123	
	30016603	2 x 1.5	8.2	28.8	87	
	30016600	4 x 1.5	9.5	57.6	148	
	30020810	2 x 2.5	9.7	48	114	
	30020811	2 x 4.0	11.2	76.8	161	

**& LAPP** 

ÖLFLEX® HEAT 1565 MC