

ETHERLINE® ACCESS U

Industrial unmanaged Ethernet switches

Industrial network switches for ethernet based solutions in Smart Factories.

Info

Redundant power inputs
Robust metal housing and DIN rail mounting









Supplementary automation components from Lapp



Mechanical and plant engineering

Benefits

Improve your total cost of ownership with faster installation and lower downtime Most flexible and globally present solutions from one hand

Product features

RJ45 Ports: 10/100 BaseT(X) RJ45 Ports: 10/100/1000 BaseT(X) Packet Buffer Size: min. 1Mbit Broadcast storm protection Redundant Power Input: 24 VDC

Norm references / Approvals

UL 61010 Shock IEC 60068-2-27 Freefall IEC60068-2-32 Vibration IEC 60068-2-6

Technical Data

Last Update (15.05.2025)
©2025 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16





ETHERLINE® ACCESS U

Classification ETIM 5: ETIM 5.0 Class-ID: EC000734

ETIM 5.0 Class-Description: Network switch

Classification ETIM 6: ETIM 6.0 Class-ID: EC000734

ETIM 6.0 Class-Description: Network switch

power supply: DC 24 V (18-30 V DC)

Protection rating: IP 30

Temperature range: -10°C to +60°C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

& LAPP

ETHERLINE® ACCESS U

Туре Article number Article designation number of ports Unmanged switches with RJ45 5 x RJ45 21700123 ETHERLINE® ACCESS U05T-2GEN Unmanaged 8 x RJ45 21700124 ETHERLINE® ACCESS U08T-2GEN Unmanaged 21700120 ETHERLINE® ACCESS U16T 16 x RJ45 Unmanaged Gigabit Unmanaged switches Unmanaged 8 x RJ45 21700129 ETHERLINE® ACCESS U08GT