

ETHERLINE® ACCESS NF

Industrial NAT router with firewall function

Industrial network switches for ethernet based solutions in Smart Factories.

Info

compact design

Tailor-made solution



Supplementary automation components from Lapp



Mechanical and plant engineering

Benefits

compact design with high port density

reduced installation effort in existing networks

easy Configuration via web-interface

space saving and industrial grade DIN rail mounting

Application range

industrial networks

Product features

RJ45 Ports: 10/100 BaseT(X)

NAT (Basic NAT, NAPT) and port forwarding

integrated Firewall feature

Network Segmentation - IP ranges in NAT mode possible - from firmware V1.08.400

Norm references / Approvals

UL 61010

Last Update (21.05.2025)

©2025 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

ETHERLINE® ACCESS NF

Technical Data

power supply:	DC 24 V (18-30 V DC)
Protection rating:	IP20
Temperature range:	-40 °C up to +75 °C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

ETHERLINE® ACCESS NF

Article number	Article designation	Type	number of ports	MTBF in years
21700141	ETHERLINE® ACCESS NF04T	Managed	4 x RJ45	>14.01

Last Update (21.05.2025)

©2025 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16