

SKINDICHT® ZSE-M

SKINDICHT® ZSE-M, hexagonal converter from a metric outer thread to a PG inner thread, assembling with a wrench



Robust

Benefits

Enables the use of PG accessories in metric threads
Assembling with a wrench

Application range

Hexagonal converter from a metric outer thread to a PG inner thread.
Machines
Devices
Housings

Product Make-up

Metric connection thread acc. to DIN EN 60423
Basis for technical information DIN IEC 62444

Note

SKINDICHT® ZSE-M-XL offers a long metric connection thread

Product Make-up

These converters are used in our cable glands:
SKINDICHT® SHV-M
SKINDICHT® SHVE-M
SKINDICHT® SRE-M
SKINDICHT® SR-SV-M

Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC000441

ETIM 5.0 Class-Description: Cable screw gland

Classification ETIM 6:

ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class-Description: Cable screw gland

Material:

Body: nickel-plated brass

Last Update (23.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

SKINDICHT® ZSE-M

Temperature range: -60 °C to +200 °C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

SKINDICHT® ZSE-M

| Article number | Thread, male M1 | Thread, female PG | Pieces / PU |
|---------------------|-----------------|-------------------|-------------|
| SKINDICHT® ZSE-M | | | |
| 52106000 | 12 x 1.5 | 7 | 100 |
| 52106010 | 16 x 1.5 | 9 | 100 |
| 52106020 | 20 x 1.5 | 11 | 100 |
| 52106030 | 20 x 1.5 | 13.5 | 100 |
| 52106040 | 20 x 1.5 | 16 | 50 |
| 52104050 | 20 x 1.5 | 21 | 50 |
| 52106050 | 25 x 1.5 | 21 | 50 |
| 52106060 | 32 x 1.5 | 29 | 25 |
| 52106070 | 40 x 1.5 | 36 | 10 |
| 52106080 | 50 x 1.5 | 42 | 10 |
| 52106090 | 63 x 1.5 | 48 | 10 |
| SKINDICHT® ZSE-M-XL | | | |
| 52106005 | 12 x 1.5 | 7 | 100 |
| 52106015 | 16 x 1.5 | 9 | 100 |
| 52106025 | 20 x 1.5 | 11 | 100 |
| 52106035 | 20 x 1.5 | 13.5 | 100 |
| 52106045 | 20 x 1.5 | 16 | 50 |
| 52106055 | 25 x 1.5 | 21 | 50 |
| 52106065 | 32 x 1.5 | 29 | 25 |

Last Update (23.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03_16