

SKINDICHT® SM-PE

SKINDICHT® SM-PE, counter nut with cutting edges to cut through the insulating layer, for glands used in EMC applications



Benefits

Cutting edges cut through the insulating layer, thus guaranteeing an optimum EMC contact

Application range

For lacquered, anodised or powder-coated housings.

Product Make-up

PG connection thread

Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC000940

ETIM 5.0 Class-Description: Locknut for cable screw gland

Classification ETIM 6:

ETIM 6.0 Class-ID: EC000940

ETIM 6.0 Class-Description: Locknut for cable screw gland

Material:

Nickel-plated brass

Temperature range:

-60°C to +200°C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

SKINDICHT® SM-PE

| Article number | Article designation / size | Height (mm) | SW wrench size mm | Far corner dimension | Pieces / PU |
|------------------|----------------------------|-------------|-------------------|----------------------|-------------|
| SKINDICHT® SM-PE | | | | | |
| 52103200 | PG 7 | 4.7 | 15 | 17.3 | 100 |
| 52103210 | PG 9 | 4.7 | 18 | 20.8 | 100 |
| 52103220 | PG 11 | 4.7 | 21 | 24.3 | 100 |
| 52103230 | PG 13,5 | 4.7 | 23 | 26.6 | 100 |
| 52103240 | PG 16 | 4.7 | 26 | 30 | 100 |
| 52103250 | PG 21 | 5.2 | 32 | 37 | 50 |
| 52103260 | PG 29 | 5.7 | 41 | 47.3 | 50 |
| 52103270 | PG 36 | 6.5 | 51 | 58.9 | 50 |

Last Update (17.09.2019)

©2019 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16