

PRODUCT INFORMATION

EPIC® crimping tool RJ45

The lightweight yet robust hand crimping pliers provide you with the best support for your crimping project. You can use it to quickly and easily create a stable crimp connection between an RJ45 plug connector and a four-pair data cable. Definitely an indispensable tool for the assembly of Ethernet cables!



Œ



Supplementary automation components from Lapp



Mechanical and plant engineering



Assembly time

Product features

For making a secure crimping connection between an RJ45 plug connector and a four-pair data cable. For use with the crimpable data connectors EPIC® DATA RJ45 crimp and RJ45 Hirose. Crimping tool for RJ45 connector Hirose TM11 TM21 and TM31

Norm references / Approvals

Sturdy and handy design. With rotary knob for individual adjustment of the crimp strength. Locking mechanism provides protection against unintentional opening.

Technical Data

Classification ETIM 5:

Classification ETIM 6:

ETIM 5.0 Class-ID: EC000385 ETIM 5.0 Class-Description: Special tool for telecommunication technique ETIM 6.0 Class-ID: EC000385 ETIM 6.0 Class-Description: Special tool for telecommunication technique

Last Update (22.05.2025) ©2025 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16



EPIC® crimping tool RJ45

Note

Hirose is a registered trademark of the HIROSE ELECTRIC Group Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

Last Update ©2025 Lapj Product Ma You can fine PN 0456 / C	Article number	Article designation
	381167057	-
	CE5091	Crimping tool RJ45 Hirose TM11/TM21 8-pole
Last Update (22.05.2025) ©2025 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16		

EPIC® crimping tool RJ45

O LAPP