EPIC® MC Dummy Module

The mixed assembly guarantees high flexibility. For applications in machine and plant engineering, for robotics and slide-in technology.

The blinding module is ideal for reserving a space for later use. It is suitable for printing presses or control systems.

Info
Dummy module as a placeholder for future expansion





Supplementary automation components from Lapp

Mechanical and plant engineering

Wind Energy

Benefits
The mix of different functions in one plug guarantees high flexibility
Assembly of individual connectors, suitable for different applications

Application range
Plant engineering
Printing machines
Control engineering

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC002641 ETIM 5.0 Class-Description: Modular connector (industrial connector)
Classification ETIM 6:	ETIM 6.0 Class-ID: EC002641 ETIM 6.0 Class-Description: Modular connector (industrial connector)
Temperature range:	-40 °C to +100 °C, short-term up to +125 °C

Last Update (06.01.2025)
©2025 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

EPIC® MC Dummy Module

Note
Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

Last Update (06.01.2025)
©2025 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

EPIC® MC Dummy Module

Article number	Article description	Contact type	Slots	Packaging unit
Dummy module				
10399400	MCS 0 Blind	male	1	10
10399500	MCB 0 Blind	female	1	10

©2025 Lapp Group - Technical changes reserved