
EPIC® MCR 16


The mixed assembly guarantees high flexibility. For applications in mechanical and plant engineering, for printing machines and slide-in technology.


The frame systems enable to use various modules together in one housing, only the combination of pin frame and male pin contact.

Info

Frame system for modules
Various functions can be used together in one connector







Wind Energy

Mechanical and plant engineering

Kompletterande automationskomponenter från Lapp

Benefits

The mix of different functions in one plug guarantees high flexibility
Assembly of individual connectors, suitable for different applications

Product features

The MCR "male" frame version is designed for use with modules with male contacts; the "female" version is designed for use with modules with female contacts

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC002310 ETIM 5.0 Class-Description: Fixing frame industrial connectors
Classification ETIM 6:	ETIM 6.0 Class-ID: EC002310 ETIM 6.0 Class-Description: Fixing frame industrial connectors
VDE-tested:	Certified production control: VDE-REG. no. A870 UL-tested:

Last Update (23.12.2023)
©2023 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

EPIC® MCR 16

UL File Number: E75770

Note
Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

©2023 Lapp Group - Technical changes reserved

EPIC® MCR 16

Article number	Article	Slots	Version
MCR 16 frame			
10381400	MCR 16 S	5	male
10381500	MCR 16 B	5	female

©2023 Lapp Group - Technical changes reserved