


EPIC® MH Clip

High flexibility by the use of any combination of inserts in one connector

Info

Modular connector system, plugable with the market standard

Adapter clip for modules of competition



Mechanical and plant engineering



Rail



Solar Energy



Wind Energy



Assembly time

Benefits

EPIC® MH Clip for mounting of competition modules in EPIC® MH frame

EPIC® MH system is mateable with the market standard

The mix of different functions in one plug guarantees high flexibility

Railway applications

- Fire protection on railway vehicles: Test according EN 45545-2. Requirement sets R22 and R23. Hazard level HL1, HL2 and HL3

Application range

Mechanical engineering

Robotics industry

Plant engineering

Renewable energy

Railway applications / vehicle construction

Technical Data

Last Update (25.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

EPIC® MH Clip

Classification ETIM 5:

ETIM 5.0 Class-ID: EC002641

ETIM 5.0 Class-Description: Modular connector (industrial connector)

Classification ETIM 6:

ETIM 6.0 Class-ID: EC002641

ETIM 6.0 Class-Description: Modular connector (industrial connector)

Temperature range:

-40°C

+125°C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

EPIC® MH Clip

Article number	Article description	Pieces / PU
44423264	EPIC® MH Clip	20