

## SILVYN® LTP-E

SILVYN® LTP-E - nickel-plated brass insert

### Info

Ensuring cables do not get damaged



Reliability



Temperature-resistant

### Benefits

Cable damage can be prevented

### Application range

Conduit end cover  
If no conduit fitting is used

### Product features

All-round collar completely covers the protective conduit end

### Product Make-up

Threaded sleeve

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC001180

ETIM 5.0 Class-Description: Screw connection for protective metallic hose

Classification ETIM 6:

ETIM 6.0 Class-ID: EC001180

ETIM 6.0 Class-Description: Screw connection for protective metallic hose

Last Update (23.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## SILVYN® LTP-E

Material: Nickel-plated brass  
Temperature range: -50°C to +135°C

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.



## SILVYN® LTP-E

| Article number | Nominal size | Suitable conduit nominal size | Pieces / PU |
|----------------|--------------|-------------------------------|-------------|
| SILVYN® LTP-E  |              |                               |             |
| 61802300       | 10           | 1/4"                          | 10          |
| 61802301       | 12           | 5/16"                         | 10          |
| 61802302       | 16           | 3/8"                          | 10          |
| 61802303       | 20           | 1/2"                          | 10          |
| 61802305       | 25           | 3/4"                          | 10          |
| 61802306       | 32           | 1"                            | 10          |
| 61802307       | 40           | 1 1/4"                        | 10          |
| 61802304       | 50           | 1 1/2"                        | 4           |
| 61802308       | 63           | 2"                            | 1           |

Last Update (23.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03\_16