# SILVYN® FPAX NPT

SILVYN® FPAX NPT - IP68/IP69 conduit fitting for SILVYN® FPAS

**Info**
IP66
IP67
IP68 (2bar)
IP69



Maximum vibration protection

Assembly time

Optimum strain relief

Temperature-resistant

UV-resistant

Waterproof

Variety of approval certifications

**Benefits**
Fast assembly
High tensile strength
Watertight
Vibration protection

Last Update (21.02.2024)
©2024 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

# SILVYN® FPAX NPT

## Application range
In combination with protective conduit:
SILVYN® FPAS
Applications with strong vibrations

## Product features
In black colour UV-resistant and weather-proofed
Removeable with a screwdriver

## Norm references / Approvals
UL FILENUMBER E308201

## Product Make-up
NPT connection thread
Body with inner sealing
Upper part with integrated all-round toothing

## Technical Data

| | |
|---|---|
| Classification ETIM 5: | ETIM 5.0 Class-ID: EC001176<br>ETIM 5.0 Class-Description: Screw connection for corrugated plastic hose |
| Certifications: | IEC EN 61386-23 |
| Colour delivered: | Black (RAL 9005), UV-resistant |
| Material: | PA66<br>Halogen-free |
| Protection rating: | IP66<br>IP67<br>IP68 (2bar)<br>IP69 |
| Temperature range: | -50 °C to +135 °C |

## Note
Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.


©2024 Lapp Group - Technical changes reserved

LAPP

# SILVYN® FPAX NPT

PRODUCT INFORMATION

| Article number | Nominal size | Suitable for SILVYN® FPAS | Pieces / PU |
|---|---|---|---|
| SILVYN® FPAX NPT black | | | |
| 55507700 | NPT 3/8" | 16 | 10 |
| 55507710 | NPT 1/2" | 16 | 10 |
| 55507720 | NPT 1/2" | 21 | 10 |
| 55507730 | NPT 3/4" | 28 | 10 |
| 55507740 | NPT 1" | 34 | 10 |
| 55507750 | NPT 1 1/4" | 42 | 2 |
| 55507760 | NPT 1 1/2" | 42 | 2 |
| 55507770 | NPT 1 1/2" | 54 | 2 |
| 55507780 | NPT 2" | 54 | 2 |
| 55507790 | NPT 2" | 67 | 2 |

Last Update (21.02.2024)
©2024 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16